

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Lynden Door, Inc.

2077 Main Street, Lynden, Washington 98264, United States

For the following product(s):

Doors:

CD100, CD200, CD200FSCN, CD350, CD350FSCN, CD45AG, CD45AGFSCN, CD450, CD600, CD900, IC200 / IC2000, IC350 / IC3500, IC45AG, LD1000, LD2000, LD2000FSCN, LD3500, LD3500FSCN, LD4500, LD45AG, LD45AGFSCN, LD6000, LD9000, SD10(H8/H4), SD20(P8/P4), SD45, SD60, SD90

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-105 v4.2-2023

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2107 (effective January, 2017) for the private office¹, school classroom¹, and single family residence^{1,2, 3} parameters.

¹Modeled Product Type: Interior Doors

²Modeled Product Type; Exterior Doors

³Modeled Product Type: Closet Doors

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-IAQ-08410

Valid from: November 21, 2024 to November 20, 2025



INDOOR ADVANTAGE GOLD
BUILDING MATERIALS



ANSI National Accreditation Board

ACCREDITED

ISO/IEC 17065

PRODUCT CERTIFICATION
BODY



Diana Kirsanova Phillips, Chief Assurance
Officer,
SCS Global Services